

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/621,180	07/16/2003	Michael Johnston Mann	32008-2	2353
7:	590 01/06/2006		EXAMINER	
John Hardaway			DEVORE, PETER T	
NEXSEN PRU	ET JACOBS & POLLARI	D, LLC		
P.O. Box 10107			ART UNIT	PAPER NUMBER
Greenville SC 29603			3751	

DATE MAILED: 01/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

10/621, 180.

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed $\frac{7/16/2003}{10000000000000000000000000000000000$
Figures are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.
Figures are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.
Applicant is required to correct the above-noted inconsistency within a time period of ONE MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)
Failure to correct the above noted inconsistency will result in abandonment of the application.
The file will be held in the Publishing Division to await the correction of the inconsistency.
Return Corrected Drawings/Specification to: Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450
Alexandria, VA 22313-1450
Office of Patent Publication/Publishing Division

FORM PTO-1631 (REV. 10-03)

Customer Service: 703-308-6789

1-888-786-0101